



## 1. TETANUS, DIPHTHERIA, WITH OR WITHOUT PERTUSSIS

Tdap booster recommended for ages 11 – 64 unless contraindicated.

**OR**

### 3. HEPATITIS A

**4. POLIO** (Primary series, doses at least 28 days apart. Three primary series are acceptable. See ACIP website for details.)

**OR**

**OR**

## 5. COVID-19 VACCINE

Vaccine name/Manufacturer: \_\_\_\_\_ / \_\_\_\_\_  
M / D / Y

**OR**

Page 2 of 3 - Optional page

7. **MENINGOCOCCAL QUADRIVALENT** (A, C, Y, W-135) One dose or 2 doses for all college students – revaccinate every 5 years if increased risk continues.

A. Quadrivalent conjugate (preferred)

#1  $\frac{\quad}{\text{M}} \frac{\quad}{\text{D}} \frac{\quad}{\text{Y}}$       #2  $\frac{\quad}{\text{M}} \frac{\quad}{\text{D}} \frac{\quad}{\text{Y}}$

**OR**

B. Quadrivalent polysaccharide (acceptable alternative if conjugate not available)

Date        /        /         
M D Y

**8. MENINGOCOCCAL SEROGROUP B** (Two or three dose series; may be given to any college student or for outbreak control)

### A. MenB-RC (Bexsero)

#1        /        /         
M    D    Y

#2        /        /         
M    D    Y

**OR**

### B. MenB-FHbp (Trumenba)

#1      /      /       
M D Y

#2      /      /       
M D Y

#3 (if needed)      /      /       
M D Y

## 9. INFLUENZA

Date of last dose:    /    /   

M     D     Y

## 10. PNEUMOCOCCAL POLYSACCHARIDE VACCINE (One dose for members of high-risk groups)

PCV 13 Date      /      /       
M D YPPSV 23 Date      /      /       
M D Y

## 10. HUMAN PAPILLOMA VIRUS (three doses of vaccine)

#1  $\frac{\quad}{M} \frac{\quad}{D} \frac{\quad}{Y}$       #2  $\frac{\quad}{M} \frac{\quad}{D} \frac{\quad}{Y}$       #3  $\frac{\quad}{M} \frac{\quad}{D} \frac{\quad}{Y}$

Vaccine given: ☐ Gardasil 4 (HPV4) ☐ Gardasil 9 (HPV9) ☐ Cervarix (HPV2)

## HEALTH CARE PROVIDER

---

*Name and title of Health care Practitioner*

Health care Practitioner's signature

---

*Date signed*